


An Archaeological Survey of the Upper Cibolo Creek Watershed, Central Texas

FERIS A. BASS, JR. AND THOMAS R. HESTER



CENTER FOR ARCHAEOLOGICAL RESEARCH
THE UNIVERSITY OF TEXAS AT SAN ANTONIO

ARCHAEOLOGICAL SURVEY REPORT, NO. 8
MARCH, 1975

AN ARCHAEOLOGICAL SURVEY OF THE UPPER CIBOLO
CREEK WATERSHED, CENTRAL TEXAS

Feris A. Bass, Jr. and Thomas R. Hester

Center for Archaeological Research
The University of Texas at San Antonio
Archaeological Survey Report, No. 8

March, 1975

TABLE OF CONTENTS

	Page
Introduction	1
Archaeological Background	3
Survey Procedures	5
Results of the Survey	5
Evaluation of Resources	29
Summary	34
References Cited	37

LIST OF FIGURES AND TABLES

Figures	Page
1. Archaeological Sites in the Upper Cibolo Creek Watershed	7
2. Archaeological Sites in the Upper Cibolo Creek Watershed	8
3. Two Historic Sites in the Upper Cibolo Creek Watershed	12
4. Two Prehistoric Sites in the Upper Cibolo Creek Watershed	17
5. Upper Cibolo Creek Watershed: Views	21
6. Upper Cibolo Creek Watershed: Projectile Points	26
7. Upper Cibolo Creek Watershed: Bifacial and Unifacial Artifacts	28

Tables	Page
1. Provenience of Artifacts Collected at Site 41 KE 49, Upper Cibolo Creek Watershed	25
2. Recommendations for Future Archaeological Investigation in the Upper Cibolo Creek Watershed	32
3. Impact of Proposed Floodwater Retarding Structures on Archaeological and Historic Resources	33

INTRODUCTION

During February, 1975, the Center for Archaeological Research at The University of Texas at San Antonio carried out an archaeological survey of the Upper Cibolo Creek Watershed in Kendall County, Texas. The Soil Conservation Service of the United States Department of Agriculture proposes to construct four floodwater retarding structures on upper Cibolo Creek and three of its tributaries (Ranger Creek, Frederick Creek, and Deep Hollow Creek) and the purpose of the archaeological survey was to provide an assessment of the historic and prehistoric cultural resources in these areas. The field work was conducted under the terms of a contract (AG-48-scs-02539) with the Soil Conservation Service, in which five major survey objectives were outlined:

1. Determine if archaeological resources exist within the area committed to installation of each floodwater retarding structure.
2. If resources are found, record, identify, and appraise the significance of resources including apparent eligibility for nomination to the National Register of Historic Places.
3. Evaluate the impact of project installation on each resource.
4. Provide recommendations for mitigation of adverse impacts anticipated.
5. Provide estimate of costs required for mitigation (salvage, protection, etc.).

Kendall County is located in south central Texas, in the southern portion of the Edwards Plateau (Sellards, Adkins and Plummer 1932). The terrain is characteristically rough with extensive surface exposures of Edwards limestone (cf. Edwards Underground Water District, n.d.: 2). The two major stream drainages are the Guadalupe River in central Kendall County, and Cibolo Creek to the south. Blair (1950) has included the area in his Balconian biotic province; additional data on the region's vegetation and fauna can be found in Gould (1969) and Dabney (1952). The local soils are of the Tarrant-Brackett-Speck series (cf. Godfrey, McKee and Oakes 1973). An earlier description of the region's soils is provided by Kocher *et al* (1913). Rose (1972) has studied the subsurface geology of western Kendall County.

Brief summaries of the topography and vegetation patterns within each proposed project area are presented later. In general, the uplands are rugged expanses of limestone, with sparse vegetation consisting of scrub cedar, blackjack, live oak, shin oak, post oak and short grasses. The flood plains and terraces are usually more heavily vegetated, except, of course, in those areas cleared for cultivation. Major vegetation forms found in terrace-floodplain locales include live oak, persimmon, black walnut, mulberry pecan, mesquite, prickly pear (and occasional yucca), and tall to mid grasses. In the riparian environs along the stream courses, vegetation becomes considerably more dense, dominated by live oak, persimmon, walnut, and vines.

For information on the history of Kendall County, the reader is referred to Dabney (1952), Jenkins (1965) and Hester (1975).

ARCHAEOLOGICAL BACKGROUND

At the time this survey was initiated, 24 archaeological sites had been formally recorded in Kendall County. Two additional sites have since been reported in the Guadalupe River drainage by Hester, Kelly and Bass (1975) and several others have been noted in western Kendall County by W. Fawcett (personal communication). A brief summary of the archaeology of the county appears in Hester (1975).

Although the sample of sites is small, several kinds of sites are known to be present in the area. These include burned rock middens, open occupation sites, buried terrace sites, rockshelters (see Briggs 1970), quarry/workshops, and lithic scatters. Most of the sites apparently date from the Archaic (ca. 6000 B.C. to A.D. 500/1000) and Late Prehistoric (Neo-American; A.D. 500/1000-1600) periods of central Texas prehistory. Scattered finds of projectile points dating from Paleo-Indian times (9200-6000 B.C.), particularly the latter part of that period, have been documented (Enlow and Campbell 1955; W. Fawcett, notes on 41 KE 10; T.C. Kelly, notes on 41 KE 23).

In that portion of Kendall County in which our survey was concentrated, two groups of sites have been previously recorded. One group, 41 KE 3-9 (the Less Ranch sites), are on the upper Frederick Creek drainage, above the area of Floodwater Retarding Structure No. 3. Another cluster of sites have been noted by W. Fawcett (personal communication) on Little Joshua Creek, a tributary of Cibolo Creek. This area is to the northwest of proposed Floodwater

Retarding Structure No. 1. The sites found by Fawcett include open occupation sites (Fawcett's Sites 1 and 5; there is a possible burned rock midden at Site 1), small lithic scatters (his Sites 2 and 3), a large lithic workshop (Site 4), and caves and rock-shelters containing prehistoric occupational deposits (Sites 6-8). A previous site reported by Fawcett is 41 KE 10, a burned rock midden site near the confluence of Allan and Little Joshua Creeks, roughly 6 km north of Floodwater Retarding Structure No. 1. Test excavations by Fawcett indicated that the site was largely attributable to the Late Archaic, although a Neo-American component was found on one edge of the site area. Notes by Fawcett on file at the Texas Archeological Research Laboratory indicate the occurrence of *Angostura* and Early, Middle and Late Archaic dart points.

SURVEY PROCEDURES

Prior to beginning the field work, the survey team contacted Mr. Harold Coffee, SCS District Conservationist at Boerne, Texas. Mr. Coffee was of invaluable assistance in securing landowner permission for entry into the proposed project areas.

Through the cooperation of the Texas Archeological Research Laboratory at The University of Texas at Austin, the survey personnel were able to determine that no archaeological resources had been previously recorded within the specific areas slated for inspection. However, the information on nearby sites provided us by W. Fawcett, Jr., served as an indication of the kinds of archaeological remains that might be expected in the vicinity.

Our surveys were conducted on foot and entailed a close inspection of the terrain that would be affected by the proposed structures and resulting detention, conservation and 100-year sediment pools. A total of 399.8 hectares (987.6 acres) was surveyed. As sites were discovered, a site survey form was filled out and site locations were plotted on a U.S.G.S. topographic map (the Ranger Creek 7.5' sheet). Although surface collections were made at several of the sites, most were subjected to limited surface sampling in order to provide data which would aid in the assessment process.

RESULTS OF THE SURVEY

Thirty-three archaeological sites were documented during survey activities in the Upper Cibolo Creek Watershed. In this section, the area of each proposed floodwater retarding structure is

described and brief summaries are provided of sites found within each project area. Site locations are shown in Figs. 1 and 2.

Floodwater Retarding Structure No. 1

The area encompassed by this structure lies between Upper Cibolo Road and Ranger Creek Road approximately 5.6 km west of Boerne, Texas and extends a distance of approximately 3.2 km further west along Cibolo Creek. The total area encompassed by this project is 215 ha (530.6 acres). The southern border of the reservoir is bounded by a range of hills and steep bluffs. The northern border is a more gradually sloping plain which is mostly under cultivation.

The immediate flood plain of the creek is covered with moderately heavy vegetation consisting primarily of live oak and cedar. A large portion of this area was covered with a dense growth of grass which effectively obscured the ground and somewhat hindered inspection of this area. Nonetheless, our survey of this proposed structure recorded 19 archaeological and historical sites.

This page has been redacted because it contains restricted information.

This page has been redacted because it contains restricted information.

Prehistoric and historic resources found during the survey are summarized below:

<u>Site Number</u>	<u>Description</u>	<u>Material Collected</u>
41 KE 25	Site is situated on a high bluff overlooking the southern end of the proposed dam and covers an area of approximately 100 m by 30 m. A moderately heavy concentration of chert flakes and debitage was observed. Some flakes showed evidence of having been worked. The site was covered with grass, scrub brush, and a few live oak and cedar trees.	1 scraper 1 bifacial preform
41 KE 26	Site is situated on the second stream terrace on the south bank of Cibolo Creek approximately 610 m west of the proposed dam. The east end of the site is covered with grass, live oak and some cedar. The center of the site is a cultivated field. Most of the archaeological material, consisting of lithic materials (flakes and bifaces) was found in the live oak grove on the eastern border. Inspection was hampered by the grass cover. Site is roughly circular, approximately 100 m in diameter.	None
41 KE 27	Site is located on the center line of the proposed dam at the north bend of the Cibolo Creek. This is on a bluff paralleling Cibolo Creek as it turns south at the dam site and is on the south slope of a ridge that extends east perpendicular to the stream course. The area is covered with live oaks, cedar and heavy grass. The site is approximately 25 m in diameter. Archaeological materials consist of thinly scattered chert flakes, cores and a cluster of burned rocks, possibly the remains of a hearth.	None

<u>Site Number</u>	<u>Description</u>	<u>Material Collected</u>
41 KE 43 (Fig. 3,b)	Site is on bluff at bend of Cibolo Creek at the north end of the north-south portion of the dam and consists of an old stone and wood building, now in ruins. One wall still stands and only the outline of the foundation remains for the other part. The floor area was littered with chert flakes, parts of artifacts, and a projectile point. In addition, there is much historic material, such as a portion of an old coffee grinder, square nails, crockery, etc. There were also some bone fragments present.	1 stemmed dart point 1 <i>Nolan</i> point 5 cortex flakes 4 thinning flakes 1 exhausted core 9 fragments fire-cracked rock 1 mussel shell 2 metal buttons 1 pearl button 2 hatchet blades 1 hair comb 1 piece broken crockery 1 clothes pin 3 pieces animal bone Assorted pieces of broken glass Numerous square nails 1 .45-.70 rifle cartridge Assorted pieces of china 1 leatherstrap w/buckle
41 KE 29	Site is approximately 100 m northwest of site 41 KE 43 and is a scatter of lithic materials consisting of chert flakes, bifaces and a few cores. The concentration of lithic debris is light and the site is only about 10 m in diameter.	None
41 KE 30	Site is 800 m west of north-south centerline of dam on a steep slope on the north bank of Cibolo Creek, approximately 150 m from creek channel and about 30 m above creek bed. Site dimensions are 50 x 100 m, paralleling the stream course (east-west). Site is covered with moderately heavy vegetation consisting of live oak, cedar and grass. At the time of survey, there was a heavy accumulation of leaves which obscured the ground and hindered observation. There was a heavy scatter of lithic materials consisting of flakes, cores and burned rock. All visible materials were collected.	3 cores 2 side scrapers 3 end scrapers 1 biface preform fragment 16 chert flakes 4 fire-cracked chert pieces

Figure 3. *Two Historic Sites in the Upper Cibolo Creek Watershed.*
a, stone ruins at 41 KE 45 (looking south); b, house floor at
41 KE 43, littered with debris, including historic and prehistoric
materials (note dart point in the middle of the picture)



a



b

<u>Site Number</u>	<u>Description</u>	<u>Material Collected</u>
41 KE 31	Site immediately adjoins site 41 KE 30 to the west and may even be a continuation of that site. The character of this site is identical to its neighbor.	1 <i>Enson</i> point 1 triangular bifacial preform 1 small ovate scraper 2 cortex flakes 3 thinning flakes
41 KE 32	Site is located 1800 m west of north-south centerline of dam in the edge of a plowed field paralleling the eastern arm of the ox-bow bend of Cibolo Creek. The site is approximately 300 m long and 10 m wide and extends out into the plowed field. The disturbed nature of the ground could well have obscured the true extent of the site. Archaeological materials observed included chert flakes and one projectile point.	None
41 KE 33	Site is immediately north of site 41 KE 31 and is probably a continuation of that site. It is approximately 75 m in diameter and is situated in and along a deep wash in a plowed field. The erosion had exposed a rather heavy lithic scatter which included chert flakes, points and cores. All materials in a 30 m circle at the center of the site were collected.	2 stemmed dart points 3 ovate preform fragments 1 <i>Abasolo</i> dart point 2 distal point fragments 2 medial point fragments 1 basal point fragment 7 cores 4 choppers 2 bifacial preforms 1 scraper 36 cortex flakes 89 interior flakes
41 KE 34	Site adjoins site 41 KE 33 to the north and extends to the curve of the bend of the ox-bow turn in the creek. It is approximately 100 m x 30 m. There is a band of brush and live oak trees that border the stream but the site is in the plowed field. The lithic scatter in this site is somewhat less than that observed in site 41 KE 33 but may be due to the lack of erosional activity. Flakes, chips and cores were evident here in moderately heavy concentrations.	None


<u>Site Number</u>	<u>Description</u>	<u>Material Collected</u>
41 KE 35	Site covers an area of 100 x 30 m and is in the same plowed field as those above except that it is in the eastern part of that field and is adjacent to a heavily vegetated drainage that cuts across the field. The site borders the eastern edge of this swale and could conceivably form a continuation of site 41 KE 31 300 m southeast. The site is covered with lithic materials.	1 corner notched dart point 2 chert flakes.
41 KE 36	Site immediately adjoins site 41 KE 35 to the east in a grove of trees paralleling the Cibolo stream course. It is approximately 300 m long and 10 m wide. Chert concentration on this site is lighter than on site 41 KE 35.	1 point fragment
41 KE 37	Site is an historical burial plot enclosed with a wire fence, 3 m x 5 m. Plot is heavily overgrown and no evidence exists at the site of the identity of those persons buried here. It is possible that this is the burial area for the inhabitants of the building at site 41 KE 43. The cemetery is presently on the property of H. B. Fuqua.	None
41 KE 48	Site covers an area 100 m x 300 m (north-south), and is 300 m west of western arm of ox-bow bend of Cibolo Creek and borders the road paralleling the creek west of the ox-bow. It is in a plowed field and is centered in a grove of live oaks and cedar trees on a low knoll in the center of the field. Lithic materials included chert flakes, cores and burned rock. There was a well defined hearth in the eastern edge of the grove of trees. The heaviest concentration of lithic materials occurred on the southern end of the site.	1 end scraper 2 biface preforms 1 medial point fragment 1 distal biface fragment 1 basal point fragment 1 core

<u>Site Number</u>	<u>Description</u>	<u>Material Collected</u>
41 KE 52 (Fig. 5,a)	Site is on a bluff at the base of the western edge of the ox-bow bend of the Cibolo Creek on the inside of the ox-bow. The side is covered with cedar, live oak, agave and a moderately heavy grass cover. Lithic materials occur here in an area 50 m x 100 m, and include cores, flakes, some bifaces and burned rock. There is also an indication of a hearth. The site is relatively undisturbed.	None
41 KE 53	This is a rather light lithic scatter on the outside bend of the ox-bow of Cibolo Creek. The extremely heavy vegetation cover, consisting of live oak, cedar and grass, impaired our ability to examine the area. Very little lithic material was found but it is felt that under more favorable conditions, a better evaluation could be made.	None
41 KE 49	This is by far the richest site, in terms of surface lithics, found on this survey. It is located in a plowed field on the west bank of the east leg of the ox-bow bend of Cibolo Creek. It encompasses an area of 150 m x 300 m parallel to the stream course. There is an extremely heavy concentration of lithic materials consisting of flakes, preforms, bifaces and some point fragments, and burned rock. The site was collected by five transects, each 1 m wide and placed 15 m apart.	See Table 1
41 KE 50	Located at the base of a slope terminating at the point of land projecting into the ox-bow of Cibolo Creek, midway	1 <i>Tortugas</i> point


<u>Site Number</u>	<u>Description</u>	<u>Material Collected</u>
	between the western and eastern legs of the creek. The surface of the site area was covered with grass, cedar, live oak and scrub oak. For this reason only a few lithic materials were seen here.	
41 KE 51	This is the location of an old historic structure which was demolished in 1913 according to the present owner of the land. There is little left of the structure but there is a quantity of historical material strewn about the site, including square nails, crockery and bits of iron of indeterminate origin. The site is located on a stream terrace on the south bank of the Cibolo Creek, approximately 750 m west of the north-south center line of the proposed dam.	1 fragment of corn grinder 13 glass fragments (glass, bottle, and window pane) 6 fragments of china ware 1 chert cortex flake 1 mason jar cup 7 square nails

Floodwater Retarding Structure No. 2

This structure is planned for construction on Ranger Creek 3.9 km due west of Interstate Highway 10 and 300 m south of Ranger Creek Road. A total of 30 ha (74 acres) will be involved. The area slated for the project is a wide, open valley situated between two ranges of hills rising steeply on both sides of Ranger Creek. The slopes of these hills are quite rocky and at the time of the survey there were many seeps resulting from recent rains. The slopes of the hills extending almost to the banks of Ranger Creek are dotted with clumps of trees and brush and some grass,



a



b

Figure 4. *Two Prehistoric Sites in the Upper Cibolo Creek Watershed.* a, burned rock midden at 41 KE 57; b, large hearth at 41 KE 46

while the valley floor was heavily covered with a thick growth of grass. Our survey of this area led to the documentation of three archaeological sites.

<u>Site Number</u>	<u>Description</u>	<u>Material Collected</u>
41 KE 38	Located approximately 100 m west of the upper end of the permanent pond on Ranger Creek just east of the proposed dam at the north bend of Ranger Creek. Site is situated on a point of land overlooking the creek and is roughly circular in shape. It is approximately 20 m in diameter, heavily covered with grass, with some mesquite, cedar and light brush. Lithic materials consisted of chert flakes and some burned rock all of which were difficult to see because of the heavy ground cover. All visible material was collected.	20 chert flakes 2 fire-fractured flakes
41 KE 39	Located on the north stream terrace above Ranger Creek approximately 750 m west of the proposed dam center line. A rock outcrop is present along north edge of site. There is a heavy grass cover in the area and only a light concentration of lithic materials was observed.	1 basal point fragment 1 burin 1 large side & end scraper 1 unifacial tool 1 end scraper 6 chert flakes
41 KE 47	Site is on the north boundary of project, probably lying partially outside of the highest elevation of the detention pool. A ranch road passes just west of the site. A very light lithic scatter was found in an area approximately 10 m in diameter.	1 crudely bifaced cobble

Floodwater Retarding Structure No. 3


This facility will be constructed on Frederick Creek, approximately 4 km west of Interstate Highway 10 and will be located between Johns Road and Texas Highway 46. The 85 ha (210 acres) of the proposed reservoir are bordered on the south by a range of hills which rise over 60 m above the Frederick Creek valley floor. The northern side is a gradually rising plain which increases in elevation only 18 m in 600 m. In the center of the proposed reservoir there now exists a permanent lake, Lake Oz, some 800 m in length. Some portions of the valley are covered with a rather heavy growth of vegetation including live oak, cedar, persimmon, yucca and prickly pear and other trees and shrubs. Some land is under cultivation and other sections are grassy pasture land. Nine sites were identified within the confines of this proposed structure.

<u>Site Number</u>	<u>Description</u>	<u>Material Collected</u>
41 KE 40	Located at the north end of the proposed dam on a bluff overlooking Frederick Creek. Site is approximately 50 m in diameter and roughly circular in shape. Lithic materials were scattered and all observed materials were collected.	1 <i>Bulverde</i> point 1 bifacial preform 2 side scrapers 2 core fragments 7 chert flakes 2 fire fractured flakes
41 KE 41	A small site approximately 20 m in diameter with a light scatter of chert flakes. Located approximately 200 m due west of site 41 KE 40 in an open field overlooking creek valley.	2 cores 7 chert flakes
41 KE 42	A small site approximately 10 m in diameter located in an open grassy field 30 m north west of a fence corner north east of Lake Oz. Lithic materials consisted of a few chert flakes which were not collected.	None

Figure 5. *Upper Cibolo Creek Watershed: Views.* a, Site 41 KE 42, with Cibolo Creek on the right; b, Cibolo Creek in the vicinity of Floodwater Retarding Structure No. 1.



a



b

<u>Site Number</u>	<u>Description</u>	<u>Material Collected</u>
41 KE 28	Located at the upper end of Lake Oz on the west bank of Frederick Creek just as creek makes northern bend from easterly course as it enters Lake Oz. Site is a rectangular pit 1.5 m x 3.5 m lined with rocks held in place with mortar. Stone work is in state of ruin with some stones piled outside of pit. The pit is filled with soil and leaf mold much softer than that surrounding the pit. A test hole dug to 50 cm in pit revealed little but fill and burned rock. No materials were collected.	None
41 KE 46 (Fig. 4,b)	Located on a grassy terrace at the western edge of the large bend at the upper end of Lake Oz, approximately 120 m northwest of site 41 KE 43. Site is 80 m x 120 m and rectangular in shape. Abundant lithic materials were present, consisting of chert flakes, points, bifaces, cores, and burned rock. There were several well defined hearths and a partially buried burned rock midden 15 m in diameter. Site was collected in two north to south transects 15 m apart and 1 m in width. All materials within these transects were collected.	General surface: 1 stemmed dart point 2 distal biface fragments 1 triangular biface basal fragments 2 bifacial preforms Transect 1: 1 bifacial preform 121 chert flakes* Transect 2: 1 biface fragment 1 uniface 290 chert flakes
41 KE 54	Site is located immediately adjacent to the north edge of site 41 KE 46 along the upper bend of Frederick Creek. The western edge of both sites is bordered by a plowed field. This site (20 m x 60 m) is in all probability a continuation of the adjoining site and exhibits many of the characteristics of that site. No collection was made at this site, although a limestone metate 15 cm x 30 cm was found and recorded.	None

*Some of the chert flakes from the two transect collections appear to be spalls from heat-fractured chert hearth stones.

<u>Site Number</u>	<u>Description</u>	<u>Material Collected</u>
41 KE 57 (Fig. 4,a)	Located just east of road crossing on Frederick Creek above Lake Oz, on the south side of the stream. Site is a burned rock midden that has been badly pot-holed and bulldozed. The midden is approximately 45 m in diameter. A small test pit was dug to examine the stratification in an undisturbed part of the midden. Further testing would be necessary to determine how much of the area is undisturbed.	None
41 KE 58	A small site on the north bank of Lake Oz, 30 m in diameter. Lithic materials observed were burned rock, cores, flakes and bifaces. No collection was made.	None
41 KE 59	Located in an area 500 m x 200 m along a bluff where Frederick Creek makes a northerly turn below Lake Oz. Lithic material included cores, bifaces, flakes and burned rock, all widely scattered throughout the area. No collection was made.	None

Floodwater Retarding Structure No. 4

This structure is located approximately 375 m south of Texas Highway 46 on Deep Hollow Creek just before it crosses the highway. The reservoir extends another 625 m to the south along the creek and encompasses an area of 30 ha (73 acres). The western side of Deep Hollow Creek is a rapidly rising slope. The eastern edge of the reservoir is bounded by a range of hills rising steeply from the stream course. Most of the area within the reservoir and west of the stream course has been under cultivation at some time during the past. There is considerable vegetation in this valley including live oak, cedar, prickly pear, grape vines, and scrub brush of various kinds. Two sites were recorded in the area of this proposed structure.

<u>Site Number</u>	<u>Description</u>	<u>Material Collected</u>
41 KE 44	This is a lithic scatter in an open, previously cultivated, grassy field. It is on the second stream terrace bordering the western edge of Deep Hollow Creek, 350 m south of the proposed dam structure. The site is 50 m x 75 m in area. Lithic material was sparse and consisted primarily of flakes. All observed materials were collected.	1 fragmentary <i>Fresno</i> point 16 chert flakes
41 KE 45 (Fig. 3,a)	This is the ruin of an old, one-room stone house located at the north end of the field described above. The house is 3.6 x 4 m in size, with a partially standing chimney and fire place.	1 piece of crockery

Transect 1

1 *Tortugas* point
 1 core
 1 chopper
 1 biface preform fragment
 1 biface preform
 2 bifaces
 1 biface fragment
 2 notched scrapers
 1 end scraper
 1 side scraper
 27 chert flakes

Transect 2

1 core
 1 core-chopper
 1 scraper
 2 end scrapers
 1 side scraper
 59 chert flakes

Transect 3

1 biface preform
 1 double ended chopper
 5 end scrapers
 1 side scraper
 1 basal point fragment
 68 chert flakes
 1 uniface preform
 2 fire-cracked flakes

Transect 4

1 chopper
 2 scrapers
 1 side & end scraper
 2 small end scrapers
 53 chert flakes
 3 fire-fractured rocks

Transect 5

1 *Nolan* point
 1 biface distal fragment
 1 biface
 3 end scrapers
 1 scraper
 1 biface fragment
 53 chert flakes

Table 1. Provenience of Artifacts Collected at Site 41 KE 49, Upper Cibolo Creek Watershed. Artifacts are listed by transect collecting units.





Figure 6. Upper Cibolo Creek Watershed: Projectile Points. a,b, Tortugas (a, 41 KE 49; b, 41 KE 50); c,d, Nolan (c, 41 KE 49; d, 41 KE 43); e-j, stemmed dart points (e, 41 KE 43; f, 41 KE 35; g, 41 KE 43; h, 41 KE 31; i,j, 41 KE 33).


Figure 7. *Upper Cibolo Creek Watershed: Bifacial and Unifacial Artifacts.* a-d, bifacial preforms and preform fragments (a, 41 KE 33; b, 41 KE 49; c, 41 KE 31; d, 41 KE 33); e-f, scrapers (both are from 41 KE 49).




a




b





c




d



e



f



EVALUATION OF RESOURCES

General Comments

The primary aim of this survey was to locate and assess archaeological and historical resources within the areas of proposed SCS projects in the Upper Cibolo Creek Watershed. There were two major considerations influencing our assessments: (1) the significance of the resources to future archaeological and historical studies in the region; (2) the impact of project construction on these resources.

Our evaluations are summarized in Tables 2 and 3. In Table 2, we provide our recommendations regarding the kinds of archaeological investigations that should be carried out at sites in each of the four proposed floodwater retarding structures. At many of the sites, no further work is required. These sites are usually small, with only scattered, surficial archaeological deposits. Once such sites have been documented, surface collected, and their locations plotted, there is little additional information that can be gained through further work. There were, however, a number of sites which need further study. These are sites which apparently have substantial buried deposits and/or extensive surface lithic materials. They could not be adequately assessed during our limited reconnaissance. Some of these sites may be of enough significance to be nominated to the National Register of Historic Places. We simply do not have enough data from our initial survey to warrant such nominations, and it is therefore recommended that such sites receive further "intensive survey". Intensive survey would include mapping of the sites, controlled surface collection, and test excavations.

Finally, one site (41 KE 49) is of such obvious importance that we believe much valuable archaeological data could be gained through major excavations. This should, however, be preceded by test excavations during the intensive survey phase in order to better plan such future field research at the site.

Table 3 indicates the impact of the proposed floodwater retarding structures on each site. Sites most directly affected are those in the area of the planned dam sites. Construction activities will seriously damage or destroy these resources. At the time of our survey, we did not have information on the placement of borrow pits related to dam construction. Certainly any sites located in these areas will suffer heavily, and archaeologists should inspect these borrow areas prior to fill removal. Table 3 also shows the position of each site in regard to the three major pools within the structure: (1) the 100-year or 50-year sediment pool; (2) the 100-year conservation pool; and (3) the detention pool. Although we can predict that all sites within these three pools will suffer some deleterious effects over the coming decades, the ones most directly affected will be those at low elevation in the sediment pool and the conservation pool.

Specific Recommendations

In Floodwater Retarding Structure No. 1, four prehistoric sites will be affected by dam construction. Three of these are minor sites that do not require any further archaeological investigation; another (41 KE 43) should undergo intensive survey prior to the beginning of construction. Of the seven other sites at which no further work is recommended (Table 2), one site (41 KE 37) is a historic cemetery; suggestions regarding as to what measures should be taken (such as

the moving of graves) to salvage this site are beyond the scope of the present report. Eleven sites in the sediment, conservation, and detention pools and one site, 41 KE 48, just above the detention pool, should be included in a period of intensive survey in order to better assess their significance. Particular attention should be given during the course of the intensive survey phase to the cluster of sites in the ox-bow area at the western end of the proposed structure. These include sites 41 KE 33, 41 KE 34, 41 KE 49, 41 KE 50, 41 KE 52, 41 KE 53. The most outstanding site recorded during our initial survey is site 41 KE 49. It should be tested during the intensive survey phase, and a large scale program of excavation designed for a later date.

No further work is recommended for sites in Floodwater Retarding Structure No. 2. One site, 41 KE 38, is within the detention pool; the other two sites lie partially or wholly outside the crest of the maximum detention pool.

In Floodwater Retarding Structure No. 3, it is our opinion that six sites need no further attention. One of these sites (41 KE 59) is along the proposed dam site, two others are above the maximum detention pool crest (41 KE 40, 41 KE 41), and the others, within the detention pool (41 KE 42, 41 KE 28, 41 KE 58). There are, however, three sites within the proposed structure that should be re-examined during the intensive survey phase. These sites (41 KE 46, 41 KE 54, 41 KE 57) are all situated within the detention pool.

The two small sites (41 KE 44, 41 KE 45) found in Floodwater Retarding Structure No. 4 do not require any further archaeological study.

Structure No.	Site No.	No Further Work	Intensive Survey	Major Investigation	
1	41 KE 25	X			
	41 KE 26		X		
	41 KE 27	X			
	41 KE 43		X		
	41 KE 29	X			
	41 KE 30	X			
	41 KE 31	X			
	41 KE 32	X			
	41 KE 33			X	
	41 KE 34			X	
	41 KE 35	X			
	41 KE 36	X			
	41 KE 37	X			
	41 KE 48			X	
	41 KE 52			X	
	41 KE 53			X	
	41 KE 49			X	X
	41 KE 50			X	
41 KE 51	X				
2	41 KE 38	X			
	41 KE 39	X			
	41 KE 47	X			
3	41 KE 40	X			
	41 KE 41	X			
	41 KE 42	X			
	41 KE 28	X			
	41 KE 46			X	
	41 KE 54			X	
	41 KE 57			X	
	41 KE 58	X			
41 KE 59	X				
4	41 KE 44	X			
	41 KE 45	X			

Table 2. Recommendations for Future Archaeological Investigation in the Upper Cibolo Creek Watershed.

Structure No.	Site No.	Dam Site Area	Sediment Pool	Conservation Pool	Detention Pool	Above Pools
1			(1495.2')	(1517.1')	(1539')	
	41 KE 25	X				
	41 KE 26		X			
	41 KE 27	X				
	*41 KE 43	X				
	41 KE 29	X				
	41 KE 30					X
	41 KE 31					X
	41 KE 32					X
	41 KE 33					X
	41 KE 34					X
	41 KE 35					X
	41 KE 36					X
	*41 KE 37			X		
	41 KE 48					
	41 KE 52				X	
	41 KE 53					X
	41 KE 49					X
41 KE 50					X	
*41 KE 51			X			
2			(1584.4')	(1590.1')	(1611.2')	
	41 KE 38				X	
	41 KE 39					X
41 KE 47					X	
3			(1543.9')	(1549')	(1571.4')	
	41 KE 40					X
	41 KE 41					X
	41 KE 42					X
	*41 KE 28					X
	41 KE 46					X
	41 KE 54					X
	41 KE 57					X
	41 KE 58					X
41 KE 59	X					
4			(1584.3')	(1588.4')	(1617.1')	
	41 KE 44		X			
*41 KE 45				X		

Table 3. *Impact of Proposed Floodwater Retarding Structures on Archaeological and Historic Resources.* Historic sites are indicated with an asterisk (*). Crest elevations (in feet) are provided for each pool. Sites listed in the "Above Pool" column are within project boundaries, except for site 41 KE 40, which lies outside the project but in close proximity to the proposed dam site.

SUMMARY

We have reported here the results of an archaeological survey of four proposed floodwater retarding structures in Kendall County, central Texas. Brief descriptions of the sites, and the artifacts collected from them, have been presented. In addition, we have provided assessments of the sites, evaluated the impact of project construction on the sites, and have made recommendations for further archaeological investigation.

All of the 33 sites appear to date largely from the Archaic era. No evidence of Paleo-Indian occupations were found during this surface reconnaissance. Only one specimen linked to the late prehistoric period was collected (a *Fresno* point at 41 KE 44). It is possible that additional materials dating from one or both of these periods may be found in the course of future investigations. All three defined units of the central Texas Archaic, Early, Middle, and Late, are represented by diagnostic projectile points and associated lithic materials. Early Archaic specimens include *Nolan* points from site 41 KE 43 and 41 KE 49 and a *Bulverde* point at 41 KE 40. Possible Pre-Archaic (Sollberger and Hester 1972) occupations may be inferred from the presence of triangular dart points (termed *Tortugas* in this report) found at sites 41 KE 49 and 41 KE 50. The placement of morphologically triangular dart points in a very early phase of the Early Archaic, or perhaps in the postulated Pre-Archaic, has been confirmed by excavations at 41 BX 271 (Granburg II) in Bexar County (cf. Hester and Kohnitz 1975). Middle and Late Archaic occupations are indicated by the occurrence of a number of corner and side notched dart points.

Functionally, a rather limited range of site types is represented in our sample. There are large multi-function open occupation sites, a prime example being 41 KE 49. Also present are a number of somewhat smaller open occupation sites, at which the range of activities can only be determined through controlled surface collection and excavation. These occupation loci exhibit scattered burned rock, hearths, abundant lithic debris, and chipped stone tools such as projectile points, unifacial and bifacial implements, and tools in various stages of manufacture.

One site (41 KE 57) is a large burned rock midden. Relic collectors have damaged it extensively, utilizing a bulldozer for part of their pillaging endeavors. However, a substantial part of the midden remains intact, and it is recommended for intensive survey. A partially buried burned rock midden and several surface hearths were noted at 41 KE 46.

Another kind of site is quite small and has only a light lithic scatter on the surface (41 KE 41 and 41 KE 42 and examples). Cores and flakes are the main lithic forms collected. Some of these sites may be stone-working loci, temporary hunting and gathering sites, or the focus of some other short-term utilization.

No large quarry-workshop sites were found; Fawcett had noted such a site in the Little Joshua Creek area to the north. It is most likely that these sites are situated at higher elevations, outside the perimeter of our survey areas.

The sites within the project areas are usually found in rather close proximity to the water courses, often on terraces overlooking and paralleling the streams. This site distribution pattern is

particularly noticeable in Floodwater Retarding Structures 1 and 3, where Cibolo and Frederick Creeks have a well developed system of terraces and old elevated floodplains. In both of these areas (Structures 1 and 3) there were a cluster of sites around major ox-bows, the largest number of sites being found on the Cibolo Creek ox-bow. Such a concentration of habitation in these locales may be related to ecological factors, possibly easy access to plant food resources which are naturally concentrated by the two closely spaced north-south arms of the Cibolo ox-bow.

Along the smaller streams, such as Ranger Creek (Floodwater Retarding Structure No. 2) and Deep Hollow Creek (Floodwater Retarding Structure No. 4), sites are located at higher elevations due to the nature of the steep-sided stream valleys. No major occupation sites occurred in either of these two areas.

The abundant prehistoric resources in Floodwater Retarding Structures 1 and 3 will undoubtedly suffer some damage through the construction of these projects and in the subsequent impoundment of water in conservation and detention pools. To better assess the impact that the projects will have on certain of these resources, we conclude this report with a recommendation for a phase of intensive field survey. The survey would allow the archaeologist to determine which sites should be nominated to the National Register of Historic Places, placement on which would necessitate a comprehensive and well designed program of mitigation prior to project completion. The recommended intensive survey of Floodwater Retarding Structure No. 1 would cost approximately \$3,100, and similar work in Floodwater Retarding Structure No. 3 would necessitate expenditures on the order of \$2,200.

REFERENCES CITED

Blair, W. F.

- 1950 The Biotic Provinces of Texas. *Texas Journal of Science*
2(1): 93-116.

Briggs, A.

- 1970 Preliminary Archaeological Survey of Study Area on the
Guadalupe River. *Office of the State Archeologist, Special
Reports* 13.

Dabney, E. R.

- 1952 Kendall County. In: *The Handbook of Texas* (W. P. Webb,
ed.), 1: 946.

Edwards Underground Water District

- n.d. *The Edwards Underground Water District and Edwards
Underground Reservoir*. San Antonio.

Enlow, D. H. and T. N. Campbell

- 1955 Some Paleo-Indian Projectile Points from the Southwestern
Periphery of the Great Plains. *Panhandle-Plains Historical
Review* 28: 29-37.

Godfrey, C. L., G. S. McKee, and H. Oakes, compilers

- 1973 *General Soil Map of Texas*. Texas A&M University, Texas
Agricultural Experiment Station, College Station.

Gould, F. W.

- 1969 *Texas Plants, A Checklist and Ecological Summary*. Texas
A&M University, Texas Agricultural Experiment Station,
College Station.

Hester, T. R. (assembler)

- 1975 Archaeological and Historical Resources in the San Antonio-Guadalupe River Basins: A Preliminary Statement. *University of Texas at San Antonio, Center for Archaeological Research, Regional Studies 1.*

Hester, T. R., T. C. Kelly and F. A. Bass, Jr.

- 1975 An Initial Archaeological and Historical Assessment of Three Proposed Dam Sites in Gonzales and Kendall Counties, Texas. *University of Texas at San Antonio, Center for Archaeological Research, Regional Studies 2.*

Hester, T. R. and H. Kohnitz

- 1975 Chronological Placement of "Guadalupe" Tools. *La Tierra* 2(2): in press.

Jenkins, J. H.

- 1965 *Cracker-Barrel Chronicles*. Pemberton Press. Austin.

Kocher, A. E. *et al*

- 1913 *Reconnaissance Soil Survey of South Central Texas*. Government Printing Office, Washington.

Rose, P. R.

- 1972 Edwards Group, Surface and Subsurface, Central Texas. *Bureau of Economic Geology, University of Texas at Austin, Report of Investigation 74.*

Sellards, E. H., W. S. Adkins, and F. B. Plummer

- 1932 The Geology of Texas. Vol. I. *University of Texas Bulletin* 3232.

Sollberger, J. B. and T. R. Hester

- 1972 The Strohacker Site: A Review of Pre-Archaic Manifestations in Texas. *Plains Anthropologist* 17 (58): 326-344.